

Message

**From:** Byrne, Eric (DPH) [/O=COMMONWEALTH OF MASSACHUSETTS/OU=MASSMAIL-01/CN=RECIPIENTS/CN=ERIC.BYRNE]  
**Sent:** 1/18/2012 7:32:22 PM  
**To:** Hanchett, James (DPH) [/O=COMMONWEALTH OF MASSACHUSETTS/OU=MassMail-01/cn=Recipients/cn=James.Hanchett]  
**Subject:** RE: Speed type [REDACTED]

Thanks, Jim. I've forwarded this to Grace Connolly. \$65 is not too bad.

---

**From:** Hanchett, James (DPH)  
**Sent:** Wednesday, January 18, 2012 2:26 PM  
**To:** Byrne, Eric (DPH)  
**Subject:** FW: Speed type TF0100  
Hi Eric,

Cost below.

Jim

---

**From:** Mary Wiseman [mailto:marym@oit.umass.edu]  
**Sent:** Wednesday, January 18, 2012 2:24 PM  
**To:** Hanchett, James (DPH)  
**Subject:** RE: Speed type [REDACTED]

Yes, it was actually lower than estimated. The total amount is \$65.00 (1 hr @ 65 pr hr)

Mary

---

**From:** Hanchett, James (DPH) [mailto:james.hanchett@state.ma.us]  
**Sent:** Wednesday, January 18, 2012 2:00 PM  
**To:** 'Mary Wiseman'  
**Subject:** RE: Speed type [REDACTED]

Hi Mary,

I am working on the account number. Do you have a dollar amount for the work completed?

Thanks,

Jim Hanchett  
Amherst Drug Lab  
Room N251 Morrill I  
637 North Pleasant Street  
Amherst, MA 01003  
Phone 413-545-2607  
Fax 413-545-2608  
Cell [REDACTED]

---

**From:** Mary Wiseman [<mailto:marym@oit.umass.edu>]

**Sent:** Wednesday, January 18, 2012 10:38 AM

**To:** Hanchett, James (DPH)

**Subject:** Speed type [REDACTED]

Hi Jim, on the work order to install the circuit in Morrill I put down speed type (account #) [REDACTED] but our bookkeeper said this number is no longer valid. Can you get me a valid speedtype/account # to charge it to please?

Thanks, Mary

Mary Wiseman  
Telecommunications  
Customer Service Rep.  
5.3090